Author Index

Akai, H., see Oi, T. 343
Albertsson, P.-Å., see Sellergren, B. 277
Andrews, A. T., see Chaplin, L. C. 420
Benanchi, P. L.
——, Gazzei, G. and Giannozzi, A.
Purification of specific heterologous $F(ab)_2$ fragments with DEAE-Zeta-Prep® cartridges for ion-exchange chromatography 133
Berg, D., see Bruns, A. 111
Bertucci, C., see Salvadori, P. 163
Beveridge, D. J.
——, Harrison, D. M. and McGrath, R. M.
Liquid column chromatography using thin-layer chromatographic silica gel 443
Borel, C., see Marston, A. 91
Bruneau, P., see Meinard, C. 169
Bruns, A.
——, Berg, D. and Werner-Busse, A.
Isolation of tocopherol homologues by preparative high-performance liquid chromatography 111
Buschauer, A., see Büyüktimkin, N. 281
Butler, E. C. V.
Determination of inorganic arsenic species in aqueous samples by ion-exclusion chromatography with electrochemical detection 353
Büyüktimkin, N.
—— and Buschauer, A.
Separation and determination of some amino acid ester enantiomers by thin-layer chromatography after derivatization with (*S*)-(+)-naproxen 281
Bystrický, S., see Strašák, M. 284
Cant, N. W., see Yong, Y.-S. 399
Cassada, D., see Raha, C. 325
Caude, M., see Macaudière, P. 255
Chaplin, L. C.
—— and Andrews, A. T.
Rapid preparative-scale purification of peptides derived from caseins using mass ion-exchange chromatography 420
Charpin, P., see Coleman, A. W. 175
Chawla, R. P., see Singh, P. P. 451
Cheam, V.
—— and Li, E Xue
Ion chromatographic determination of low level cadmium(II), cobalt(II) and manganese (II) in water 361
Chen, T. K.
—— and Thornton, D.
Regio-selective derivatization of 1-[(3,5-difluorophenyl)methyl]-1,3-dihydro-2H-imidazole for gas chromatographic analysis 403
Christman, R. F., see St. Aubin Jacobs, J. 433
Coleman, A. W.
——, Tsoucaris, G., Parrot, H., Galons, H., Miocque, M., Perly, B., Keller, N. and Charpin, P.
Cyclodextrin–chiral substrate interaction. High field nuclear magnetic resonance and molecular graphics studies 175
Coninck, M. De, see Verzele, M. 47
Corre, L. Le, see Le Corre, P. 211
Dallenbach-Toelke, K., see Nyiredy, Sz. 241
Daly, R. E., see Geria, T. 407
Davies, N. W.
Open split interfaces in capillary gas chromatography–mass spectrometry. Yield and quantitative aspects 388
De Coninck, M., see Verzele, M. 47
De Jesus, A. E.
——, Gorst-Allman, C. P., Horak, R. M. and Vleggaar, R.
Large-scale purification of the mycotoxins aflatoxin B_1, B_2 and G_1 101
Delee, E.
——, Jullien, I. and Le Garrec, L.
Direct high-performance liquid chromatographic resolution of dihydropyridine enantiomers 191
——, Jullien, I., Le Garrec, L., Loupy, A., Sansoulet, J. and Zaparucha, A.
Chiral Michael additions of acetamidomalonate to α-enones. Nuclear magnetic resonance and high-performance liquid chromatographic resolution of enantiomers 183
De Moerloose, P., see De Schutter, J. A. 337
Derendorf, H., see Townsend, R. W. 414
De Schutter, J. A.
—— and De Moerloose, P.
Determination of oxybutinin chloride in pharmaceuticals by reversed-phase ion-pair liquid chromatography with two counter-ions in the eluent 337
Dewaele, C., see Verzele, M. 47
Dohnal, J., see Snopek, J. 373
Dubois, J. P., see Sioufi, A. 211
Ekberg, B., see Sellergren, B. 277
Embil, K., see Townsend, R. W. 414
Fitos, I.
—— and Simonyi, M.
Selective effect of clonazepam and (*S*)-uxepam on the binding of warfarin enantiomers to human serum albumin 217

Franke, G.
—— and Verillon, F.
Economic laboratory practice in preparative column high-performance liquid chromatography 81
Freitag, W.
Determination of the polymeric light stabilizer Chimassorb 944 in polyolefins by reversed-phase high-performance liquid chromatography 430
——, Wurster, R. and Mady, N.
Determination of the polymeric light stabilizer Tinuvin 622 in polyolefins 426
Galanos, C., see Komuro, T. 381
Galons, H., see Coleman, A. W. 175
Gareil, P.
—— and Rosset, R.
Analysis of the information in a preparative chromatogram for further optimization of the operating conditions 13
Garrec, L. Le, see Delee, E. 183, 191
Gazdag, M.
——, Szepesi, G. and Mihályfi, K.
Some aspects of the selection of high-performance liquid chromatographic methods for the separation of chiral compounds in pharmaceutical analysis 145
Gazzei, G., see Benanchi, P. L. 133
Geria, T.
——, Hong, W.-H. and Daly, R. E.
High-performance liquid chromatographic assay of imazodan, methylparaben and propylparaben in imazodan injection 407
Ghodbane, S.
—— and Guiochon, G.
Column loading and relative retention in overloaded elution chromatography 27
Giannozzi, A., see Benanchi, P. L. 133
Gibassier, D., see Le Corre, P. 211
Gorst-Allman, C. P., see De Jesus, A. E. 101
Guiochon, G., see Ghodbane, S. 27
Hamper, B. C., see Pirkle, W. H. 199
Harrison, D. M., see Beveridge, D. J. 443
Helliger, W., see Lindner, H. 309
Hermann, W., see Larsson, K. 71
Hirayama, C.
——, Ihara, H. and Tanaka, K.
Chromatographic resolution of dipeptide enantiomers and diastereomers on chiral stationary phases from poly(L-leucine) or poly(L-phenylalanine) 271
Hong, W.-H., see Geria, T. 407
Horak, R. M., see De Jesus, A. E. 101
Hosoe, M., see Oi, T. 343
Hostettmann, K., see Marston, A. 3, 91
Ihara, H., see Hirayama, C. 271
Iversen, P., see Raha, C. 325
Iwata, H.
——, Matsuda, T. and Tonomura, H.
Improved high-performance liquid chromatographic determination of thiamine and its phosphate esters in animal tissues 317
Jelínek, I., see Snopek, J. 373
Jesus, A. E. De, see De Jesus, A. E. 101
Johnson, J. D., see St. Aubin Jacobs, J. 433
Jork, H.
—— and Kunz, F.-R.
Isolation of gentamicin C compounds from culture filtrates of *Micromonospora purpurea* 115
Jullien, I., see Delee, E. 183, 191
Kaiser, G., see Sioufi, A. 211
Kakihana, H., see Oi, T. 343
Keller, N., see Coleman, A. W. 175
Kern, J. R.
——, Lokensgard, D. M., Manes, L. V., Matsuo, M. and Nakamura, K.
Separation of the stereoisomers of an allenic E-type prostaglandin 233
Keuth, V., see Townsend, R. W. 414
Klinot, J., see Snopek, J. 373
Klinotová, E., see Snopek, J. 373
Komuro, T.
—— and Galanos, C.
Analysis of salmonella lipopolysaccharides by sodium deoxycholate–polyacrylamide gel electrophoresis 381
Kunz, F.-R., see Jork, H. 115
Larsen, L. M.
——, Nielsen, T. H., Plöger, A. and Sørensen, H.
Rapid and efficient method for the isolation and characterization of plant aromatic choline esterases 121
Larsson, K.
——, Hermann, W., Möller, P. and Sanchez, D.
Preparative high-performance liquid chromatography of peptides on a new reversed-phase packing material, Kromasil™ C_{18} 71
Le Corre, P.
——, Gibassier, D., Sado, P. and Le Verge, R.
Direct enantiomeric resolution of disopyramide and its metabolite using chiral high-performance liquid chromatography. Application to stereoselective metabolism and pharmacokinetics of racemic disopyramide in man 211
Le Garrec, L., see Delee, E. 183, 191
Leroux, F., see Sioufi, A. 221
Le Verge, R., see Le Corre, P. 211
Li, E Xue, see Cheam, V. 361
Lille, Ü, see Lõhmus, M. 105

Lindner, H.
——, Helliger, W. and Puschendorf, B.
Separation of friend erythroleukaemic cell histones and high-mobility-group proteins by reversed-phase high-performance liquid chromatography 309
Lõhmus, M.
——, Lopp, M., Lille, Ü. and Veisserik, J.
Preparative liquid chromatographic separation of isomers of prostacyclin carba-analogues and their intermediates 105
Lokensgard, D. M., see Kern, J. R. 233
Long, J. W.
——, Snyder, R. W. and Spalik, J.
Purge-and-trap gas chromatographic method for residual volatiles in high-temperature polymers 394
Lopp, M., see Lõhmus, M. 105
Lough, W. J., see Matlin, S. A. 157
Loupy, A., see Delee, E. 183
Macaudière, P.
——, Caude, M., Rosset, R. and Tambuté, A.
Chiral resolution of series of 3-thienylcyclohexylglycolic acids by liquid or subcritical fluid chromatography. A mechanistic study 255
McGrath, R. M., see Beveridge, D. J. 443
Mady, N., see Freitag, W. 426
Manes, L. V., see Kern, J. R. 233
Marston, A.
——, Borel, C. and Hostettman, K.
Separation of natural products by centrifugal partition chromatography 91
——, Potterat, O. and Hostettmann, K.
Isolation of biologically active plant constituents by liquid chromatography 3
Matlin, S. A.
——, Stacey, V. E. and Lough, W. J.
Hexahelicene chiral stationary phase. I. Phase synthesis and use in high-performance liquid chromatographic resolution of enantiomers 157
Matsuda, T., see Iwata, H. 317
Matsuo, M., see Kern, J. R. 233
Meinard, C.
—— and Bruneau, P.
Separation and identification of enantiomers by high-performance liquid chromatography with a chiral column and a polarimetric detector as applied to deltamethrin 169
Mihályfi, K., see Gazdag, M. 145
Miocque, M., see Coleman, A. W. 175
Moerloose, P. De, see De Schutter, J. A. 337
Möller, P., see Larsson, K. 71
Mosbach, K., see Sellergren, B. 277
Mukherjee, K. D., see Schuch, R. 448
Mullersman, G., see Townsend, R. W. 414
Nakamura, K., see Kern, J. R. 233
Nielsen, T. H., see Larsen, L. M. 121
Nyiredy, Sz.
——, Dallenbach-Toelke, K. and Sticher, O.
Applicability of forced-flow planar chromatographic methods for the separation of enantiomers on Chiralplate® 241
Oi, T.
——, Tsukamoto, T., Akai, H., Kakihana, H. and Hosoe, M.
Boron isotope separation by ion-exchange chromatography using an anion-exchange resin in halide forms. Separation factors at 25°C 343
Parrot, H., see Coleman, A. W. 175
Perly, B., see Coleman, A. W. 175
Perrin, J. H., see Townsend, R. W. 414
Pini, D., see Salvadori, P. 163
Pirkle, W. H.
—— and Hamper, B. C.
Chromatographic separation of the enantiomers of 1,3-dithiolane-1-oxides 199
Plöger, A., see Larsen, L. M. 121
Potterat, O., see Marston, A. 3
Puschendorf, B., see Lindner, H. 309
Raha, C.
——, Williamson, D., Thakran, P., Cassada, D. and Iversen, P.
Chromatographic and spectral investigations on the *in vivo* metabolites of 6-nitrobenzo[*a*]pyrene 325
Rosini, C., see Salvadori, P. 163
Rosset, R., see Gareil, P. 13
——, see Macaudière, P. 255
Sado, P., see Le Corre, P. 211
Salvadori, P.
——, Pini, D., Rosini, C., Uccello-Barretta, G. and Bertucci, C.
Chiral stationary phase derived from L-lactic acid for the optical resolution of N-(3,5-dinitrobenzoyl)amino acid methyl esters 163
Sanchez, D., see Larsson, K. 71
Sansoulet, J., see Delee, E. 183
Schuch, R.
—— and Mukherjee, K. D.
Rapid radio thin-layer chromatography for assay of lipase-catalyzed esterification and interesterification reactions 448
Schutter, J. A. De, see De Schutter, J. A. 337
Sellergren, B.
——, Ekberg, B., Albertsson, P.-Å. and Mosbach, K.
Preparative chiral separation in an aqueous two-phase system by a few counter-current extractions 277
Simonyi, M., see Fitos, I. 217

Singh, P. P.
—— and Chawla, R. P.
Thin-layer chromatography of flucythrinate residues 451
Sioufi, A.
——, Kaiser, G., Leroux, F. and Dubois, J. P.
Determination of the *S*(+)- and *R*(−)-enantiomers of baclofen in plasma and urine by gas chromatography using a chiral fused-silica capillary column and an electron-capture detector 221
Smolková-Keulemansová, E., see Snopek, J. 373
Snopek, J.
——, Smolková-Keulemansová, E., Jelínek, I., Dohnal, J., Klinot, J. and Klinotová, E.
Use of cyclodextrins in isotachophoresis. VI. Cyclodextrins as leading electrolyte additives for the separation of bile acids 373
Snyder, R. W., see Long, J. W. 394
Soerensen, K. J., see Yong, Y.-S. 399
Sørensen, H., see Larsen, L. M. 121
Spalik, J., see Long, J. W. 394
Stacey, V. E., see Matlin, S. A. 157
St. Aubin Jacobs, J.
——, Christman, R. F. and Johnson, J. D.
High-pressure size-exclusion chromatography of chlorinated and unchlorinated aquatic fulvic acids using a polyacrylamide gel 433
Sticher, O., see Nyiredy, Sz. 241
Strašák, M.
—— and Bystrický, S.
Rapid optical resolution of anionic metal complexes by gel permeation chromatography 284
Szepesi, G., see Gazdag, M. 145
Tambuté, A., see Macaudière, P. 255
Tanaka, K., see Hirayama, C. 271
Thakran, P., see Raha, C. 325
Thornton, D., see Chen, T. K. 403
Tonomura, H., see Iwata, H. 317
Townsend, R. W.
——, Keuth, V., Embil, K., Mullersman, G., Perrin, J. H. and Derendorf, H.
High-performance liquid chromatographic determination of conjugated estrogens in tablets 414
Tsoucaris, G., see Coleman, A. W. 175
Tsukamoto, T., see Oi, T. 343
Uccello-Barretta, G., see Salvadori, P. 163
Veisserik, J., see Lõhmus, M. 105
Verge, R. Le, see Le Corre, P. 211
Verillon, F., see Franke, G. 81
Verzele, M.
——, De Coninck, M., Vindevogel, J. and Dewaele, C.
Column hardware in preparative liquid chromatography with axial flow 47
Vindevogel, J., see Verzele, M. 47
Vleggaar, R., see De Jesus, A. E. 101
Voelkel, A.
Polarity of oligooxyethylene derivatives of alcohols, thio alcohols and alkylamines as measured by gas chromatography 291
Werner-Busse, A., see Bruns, A. 111
Williamson, D., see Raha, C. 325
Wurster, R., see Freitag, W. 426
Yong, Y.-S.
——, Soerensen, K. J. and Cant, N. W.
Automated analysis of the gas mixture from ethylene epoxidation by oxygen and nitrous oxide mixtures using gas chromatography 399
Zaparucha, A., see Delee, E. 183

Erratum

J. Chromatogr., 443 (1988) 285–298
p. 294, between lines 7 and 8 the following structure should be inserted: